

GOVERNMENT OF ARUNACHAL PRADESH
PUBLIC WORK DEPARTMENT

PHONE ::: 2212536(OFF)
2212011(FAX)

OFFICE OF THE CHIEF ENGINEER,
WESTERN ZONE:::PWD:::AP:::
ITANAGAR ::: 791 111.

NO.CEAP (WZ)/NEC-5/ NIT/2015-16

Dated 19th August.,2015

Addendum

The Specification of Pavement and Bridges Culverts mentioned at page No.224 of NIT No.CEAP(WZ)/NIT/2015-16/01 dated 20th July,2015 which was Published in Newspaper on 22/07/15 & 23/07/2015 in local dailies and The Hindu respectively & Website www.arunachalpwd.org may be read as follow:-

SI No.	Items	Thickness	Width	Remarks
1. Pavement				
i)	GSB- I	75 mm	5.50 m	} Extra widths at curves, to be provided as per IRC: 52-2001 specification.
ii)	GSB-II	75 mm	5.50 m	
iii)	WBM-II	75 mm	5.50 m	
iv)	WBM-III	75 mm	5.50m	
v)	Black Topping (with Seal Coat)	20 mm	5.50 m	

2. Bridges/Culverts

As per Specification for
IRC 70R class of
loading.

sdt
Chief Engineer (WZ)
PWD, AP, Itanagar.

NO.CEAP (WZ)/NEC-5/ NIT/2015-16 *13618-20*
Copy to :-

Dated 19th August., 2015

- ✓ 1. The Director, IPR, Papu Nallah, for Publication in atleast one National & two Local dailies please.
2. The Superintending Engineer, Sagalee Circle, PWD, Camp Naharlagun,
3. The Executive Engineer, Seppa Division PWD, Seppa.

19-08
Suptdg.Surveyor of Works
Western Zone, PWD, AP